



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**27.09.2000 Bulletin 2000/39**

(51) Int. Cl.<sup>7</sup>: **G06F 17/30**

(21) Application number: **00302028.6**

(22) Date of filing: **14.03.2000**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventor: **Jurkovic, Robert J.**  
**Ringwood, New Jersey 07456 (US)**

(74) Representative:  
**Watts, Christopher Malcolm Kelway, Dr. et al**  
**Lucent Technologies (UK) Ltd,**  
**5 Mornington Road**  
**Woodford Green Essex, IG8 0TU (GB)**

(30) Priority: **25.03.1999 US 276244**


(71) Applicant:  
**LUCENT TECHNOLOGIES INC.**  
**Murray Hill, New Jersey 07974-0636 (US)**

(54) **Space/time portals for computer systems**

(57) A portal defines a set of information requests used to gather various types of information in order to present to a user a single composite display that essentially provides the user with his or her own personal web page or view of information. A space/time portal is a particular type of portal whose set of information requests is automatically modified as a function of a specified location or a specified time or both. In one configuration, the specified location and time are them-

selves selected automatically to modify the space/time portal in real time based on the current location and time for the user. In another configuration, the user can manually change the selection of the specified location and/or time. The space/time portal is then automatically modified based on the new selections, and the composite display is updated in real time accordingly.

**FIG. 4**



## Description

### Field of the Invention

[0001] The present invention relates to computer networks, such as the Internet or World Wide Web, and, in particular, to portals used to retrieve customized sets of information during web browsing and other network access activities.

### Description of the Related Art

[0002] Computer networks, such as the Internet or World Wide Web, enable users to access an almost unlimited amount of information. Although web browsers and other applications for Internet searching exist to enable users to locate any and all available information, many users are interested in receiving the same types of information during each of their web browsing sessions. For example, a particular user may be interested in the current prices of specific stocks that he owns, the latest scores for his favorite sports teams, his daily horoscope, and the weather report for his home town. For such users, personal portals are being provided by a number of Internet service providers and web servers.

[0003] A personal portal is a network search tool that defines a set of user-selected information requests. Whenever the user accesses the network through his personal portal, the portal gathers information satisfying the specified requests from one or more network-based databases and presents that information to the user as a computer display with a composite format, thereby providing the user with what is essentially his own personal, customized web page. One such personal portal service is the "My Netscape" portal provided by Netscape Communications Corporation of Mountain View, California.

[0004] The one or more databases from which information is gathered to satisfy the portal requests are frequently if not constantly updated so that the set of information provided to the user is current (e.g., the current weather report, the horoscope for current date). Thus, every time the user accesses the network through his personal portal, the particular information presented to the user will be different, even if the set of information requests defined by the portal have not changed. Some personal portals may even automatically update the information presented to the user in real time during a particular network access session as the databases from which that information is gathered are themselves updated. Although a user may be able to modify manually his personal portal to change the defined set of information requests (e.g., adding and deleting stocks to reflect changes in the composition of his personal stock portfolio), nevertheless, between such manual changes to the portal definition, the set of portal requests is static, with only the databases of information being updated over time.

## Summary Of The Invention

[0005] The present invention is directed to portals that are automatically modified as a function of either space or time or both. With a so-called space/time portal of the present invention, the set of requests defined for the portal is modified automatically as a function of either a specified location or a specified time or both, independent of whether or not the information databases used to satisfy those portal requests are themselves also updated over time. Depending on the implementation, the specified location and/or time may be selected automatically or manually by the user.

[0006] In one embodiment, the present invention is a computer-based server configured to provide access to a user via a portal through which information is presented to the user in a composite format, wherein the portal defines a set of information requests used to gather the information presented to the user, and the set of information requests for the portal is modified automatically as a function of a specified location, a specified time, or both.

[0007] In another embodiment, the present invention is a method for presenting information to a user accessing a computer-based server, comprising the steps of (a) providing a portal to the user, wherein the portal defines a set of information requests used to gather the information presented to the user; (b) selecting a specified location, a specified time, or both corresponding to the user; (c) automatically modifying the set of information requests corresponding to the portal as a function of the specified location, the specified time, or both; and (d) using the modified portal to gather the information for presentation to the user in a composite format.

[0008] The present invention addresses the problem of information overload by accessing high priority and relevant information through intelligent filtering while accessing information using web technology. The space/time portals of the present invention allow users to locate themselves at a particular point in space and time using a web locator window with a personal view of their information. Space/time portals can be used to gather personal information as well as shared information from other sources based on a specified location and/or a specified time. The present invention eases web navigation by decreasing web searches and eliminating web clicks to find essential information. The present invention is particularly well suited for, but certainly not limited to, the average business manager.

[0009] A web designed around a database back-end tied to an integrated management application can provide custom information to a user via a personal web page. The locator window of the present invention pinpoints the user's information requirements. The combination of a database back-end for all information storage and a dynamic web page displaying information specific to a user's needs at a specified location and

time allows fast access to web-based information with minimal navigation. The database holds information from many people allowing cross-referencing and information viewing across many people or a group of people.

[0010] A GPS (global positioning system) processor can be integrated to a user's PC (personal computer) or PDA (personal data assistant) to determine his current location in space and a clock in the PC or PDA establishes a current location in time as default. As the user shifts views in space and time, information will be generated from sources and dynamically published to a web page. This web page may contain general information (such as news and events), personal information (such as action items, schedules, and meetings), and shared information (such as project calendars, action items owned by others, and project notes).

[0011] The present invention relates to a new design for a personal web portal with dynamic page generation utilizing access methods that are highly accepted by the public, such as calendaring and mapping. The present invention allows users the option of multiple platforms (e.g., SUN workstations, Windows-based PCs, Apple Macintosh computers). The present invention enables collaboration between users through a common port of entry and extraction.

#### **Brief Description Of The Drawings**

[0012] Other aspects, features, and advantages of the present invention will become more fully apparent from the following detailed description, the appended claims, and the accompanying drawings in which:

Fig. 1 shows a generic representation of a composite display generated on a user's monitor during network access through a space/time portal, according to one embodiment of the present invention;

Fig. 2 shows a more detailed representation of the space/time locator cell of the composite display of Fig. 1;

Fig. 3 shows a block diagram of a network configuration used to support the use of a personalized space/time portal by a particular user, according to one embodiment of the present invention;

Fig. 4 shows a flow diagram representing exemplary processing implemented at the user and at the network servers for the network of Fig. 3 for the beginning of a web-browsing session through a personalized space/time portal;

Fig. 5 shows a flow diagram representing exemplary processing implemented at the user and at the web portal server for the network of Fig. 3 when

the user uses the locator cell of Fig. 2 to change the selection of the specified location for the user's personalized space/time portal; and

Fig. 6 shows a flow diagram representing exemplary processing implemented at the user and at the web portal server for the network of Fig. 3 when the user uses the locator cell of Fig. 2 to change the selection of the specified time for the user's personalized space/time portal.

#### **Detailed Description**

[0013] According to the present invention, a space/time portal is a portal whose defined set of information requests is automatically modified as a function of a specified location and/or a specified time. As the specified location and/or time changes, the set of information requests defined for the portal is automatically modified. As a result, not only is information itself updated as the databases from which the information is gathered are updated over time, but the types of information themselves defined by the portal requests also vary as the specified location and/or time varies. As with conventional portals, the information gathered during network access through a space/time portal may be gathered from a single network-based information database or from any number of different databases available on the network.

[0014] Depending on the particular implementation, there are a number of different possible ways in which time and/or location can be specified. For example, time can be specified automatically to correspond to the user's current time. That clock signal may be generated local to the user (e.g., the system clock of the user's computer) or received from some appropriate remote source (e.g., the network server accessed by the user's computer). Alternatively, time can be specified manually by the user to allow the user to select a date and/or time of day other than the current date and/or time of day.

[0015] Analogously, location can be specified automatically to correspond to the user's current location, e.g., as determined from GPS signals received by at the user's computer. Alternatively, location can be specified manually by the user to allow the user to select a location other than the user's current location.

[0016] Assume, for example, that a particular user typically accesses the Internet through her personal space/time portal using her portable laptop computer from one of three different locations: her residence, her office, or her vacation home. Assume further that the user's space/time portal is configured to specify location automatically based on GPS signals received at the laptop. In that case, the specified location used to modify the user's space/time portal will be the current location of the laptop. Assume also that the user has pre-selected a different set of information requests for each of her three typical network access locations (resi-

dence, office, and vacation home). In that case, when the user accesses the network using her laptop, the specified location will be automatically selected to be the user's current location and her space/time portal will be automatically modified to select the set of information requests corresponding to that current location.

[0017] For example, when she accesses the network from her residence, the space/time portal will be automatically modified based on the specified location being her residence to gather and present information satisfying a pre-selected set of requests relevant to that location (e.g., the weather report for the vicinity of her residence, current road and traffic conditions for her commute to work, schedule of events for the local school district). Similarly, when she accesses the network from her office, the space/time portal will be automatically modified based on the specified location being her office to gather and present information satisfying a pre-selected set of requests relevant to that location (e.g., the weather report for the vicinity of her office, current road and traffic conditions for her commute back to her residence, her schedule of meetings for the day). Lastly, when she accesses the network from her vacation home, the space/time portal will be automatically modified based on the specified location being her vacation home to gather and present information satisfying a pre-selected set of requests relevant to that location (e.g., the weather report for the vicinity of her vacation home, available tee times at the golf courses near her vacation home, available reservation times at local restaurants).

[0018] Instead of being modified automatically as a function of location, a space/time portal of the present invention can also be configured to be modified automatically as a function of time. Assume in the previous example that the user has defined her work and vacation schedule for the year using a network-based calendar application in which she specifies which days of the year she will be at work, which days she will spend at her residence, and which days she will be at her vacation home. In that case, the space/time portal can be configured to be modified as a function of the current time, e.g., as automatically determined from the local system clock in the user's laptop. In particular, the current time is used to access the calendar application to determine which of three pre-selected sets of requests (i.e., corresponding to a work day, a home day, or a vacation day) is to be used to gather information through the space/time portal.

[0019] In addition to being configured to select automatically the specified location and/or time used to modify the space/time portal, a space/time portal can be configured to have the specified location and/or time selected manually by the user. For example, assume in the previous example that the user is currently at her office on Monday morning, but she wants to plan her schedule for the upcoming weekend to be spent at her vacation home. Rather than have her space/time portal

be automatically modified based on her current location (i.e., office) and current time (i.e., Monday morning), the user can manually select the specified location for the space/time portal to be her vacation home. As such, the space/time portal will be modified to gather information corresponding to her vacation home. Depending on the set of portal requests defined for the specified location being her vacation home, this may not suit her needs. For example, knowing the available tee times for the golf courses in the vicinity of her vacation home for the current time (i.e., Monday morning) is not going to help her out for the coming weekend. In that case, the space/time portal can be configured to allow her to select manually both the specified location and the specified time, so that, from her office on Monday morning, she can select both the specified location to be her vacation home and the specified time to be the next Saturday. As such, the user will be able to see the available tee times for an appropriate location and date.

[0020] In the above examples, the modifications to the space/time portal were limited to three discrete sets of information requests that were pre-selected by the user for three different specified locations or three different specified times. The present invention can also be implemented to provide "continuous" modification of space/time portals. For example, a space/time portal according to the present invention can be configured to provide the weather report for the region centered on the specified location, wherever that specified location is. If the specified location is automatically selected to be the user's current location based on GPS signals received at the user's laptop, then the space/time portal will provide the relevant weather report for the user's current location, no matter where that current location is. Moreover, the specified location can be updated in real time as the user's current location changes. For example, a mobile user in a car or airplane will automatically be presented with continuously updated information as the user's current location changes.

[0021] Fig. 1 shows a generic representation of a composite display 100 generated on a user's monitor during network access through a space/time portal, according to one embodiment of the present invention. Display 100 is analogous to a user's personal web page. According to the present invention, the information presented in one or more of the constituent cells of display 100 satisfies space/time portal requests that are modified automatically as a function either the specified location or the specified time or both. As shown, display 100 comprises the following constituent cells:

- o A space/time locator cell 102 that enables the user to modify manually the selection of the specified location and/or time.
- o A communications ticker cell 104 that displays a summary of personalized news specifically relevant to the user;

- o A news cell **106** that displays a summary of news items gathered through the space/time portal;
- o A search area cell **108** that enables the user to perform text-based web searching;
- o An integrated management application cell **110** that provides link lists that enable the user to execute different web-based application programs;
- o A business applications cell **112** that provides link lists that enable the user to execute different web-based business application programs;
- o A services and transactions cell **114** that displays a summary of annual or periodic maintenance functions;
- o A quick links cell **116** that provides a personalized list of links for the user;
- o A training and reference cell **118** that provides access to various local training and/or reference services;
- o A business communications cell **120** that renders web-based radio and/or television programming; and
- o A portal communicator bar **122** that alerts the user of special events or items requiring attention relative to their position in space and time.

[0022] In the example presented earlier, display **100** may correspond to the information gathered and presented by the space/time portal on the user's laptop when the specified location is the user's office and/or the specified time is a work day. In one implementation, the user is presented with a series of graphical user interfaces (GUIs) asking the user to enter or select preferences corresponding to different types of information in order to customize the space/time portal.

[0023] Navigation through the space/time portal corresponding to display **100** to retrieve specific information can be accomplished a number of different ways. The user can use the search area cell **108** to access a search engine using text-based searching to retrieve specific information from different databases. Alternatively, the user can access information using the link lists provided in the various cells of display **100**. In addition, the user can use the space/time locator cell **102** to select manually the specified location and/or the specified time used to modify automatically the space/time portal.

[0024] Fig. 2 shows a more detailed representation of the space/time locator cell **102** of display **100** of Fig. 1. Locator cell **102** displays a map **202**, a calendar **204**, a time-of-day field **206**, and a set of possible views **208**

(i.e., default view, 2<sup>nd</sup> view, and 3<sup>rd</sup> view).

[0025] Using the computer's mouse-driven pointer, the user can manually select the specified location for the space/time portal by selecting a specific point on the map **202**. The specified location is then used to modify automatically the space/time portal. In addition to selecting the specified location, selecting a point on the map **202** may also result in a zooming operation that redisplay an expanded view of the map zooming in on the specified location. The zooming operation may also affect the size of the region of interest surrounding the specified location that is used to modify the space/time portal. The greater the zooming, the smaller the region of interest (e.g., statewide weather reports rather than countrywide weather reports being generated by the space/time portal). This zooming operation can be repeated to continue to refine the selection of the specified location and to continue to reduce the size of the region of interest surrounding the specified location (e.g., citywide weather reports rather than statewide weather reports).

[0026] In an analogous fashion, the calendar **204** and the time-of-day field **206** can be used to select manually the specified time used to modify automatically the space/time portal. When only the calendar **204** is used, the resolution of the specified time used to modify the space/time portal may be limited to the day, the month of year, or even the year as a whole. The resolution of the specified time can be narrowed to include the time of day (or a range of time) in hours or even minutes using the time-of-day field **206** in conjunction with the calendar **204**. Zooming in and out can also be implemented for calendar **204**, with available displays corresponding to representations of a single day, an entire month, or an entire year.

[0027] The three available views **208** (i.e., default view, 2<sup>nd</sup> view, and 3<sup>rd</sup> view) allow the user to pre-define up to three different sets of portal requests for different specified locations and/or specified times. Referring once again to the previous example, the default view may correspond to the space/time portal modified for the user's residence, the 2<sup>nd</sup> view may correspond to the space/time portal modified for the user's office, and the 3<sup>rd</sup> view may correspond to the space/time portal modified for the user's vacation home. These options allow the user to specify manually and quickly how the space/time portal should be modified for routine network access sessions. In this example, the map **202**, calendar **204**, and time-of-day field **206** can be used to select manually combinations of specified location and time other than the three pre-defined views **208**.

[0028] Fig. 3 shows a block diagram of a network configuration **300** used to support the use of a personalized space/time portal by a particular user, according to one embodiment of the present invention. As shown in Fig. 3, user **302** accesses, via network connection **304**, an access and control server **306** which implements a user registration system to manage and control

the user's access to the network. Access and control server 306 also implements a user statistics system to log the user's navigation through the network.

[0029] The user's personal web page, such as display 100 of Fig. 1, is generated by web portal server 308 which executes the user-configured space/time portal to gather the information for display 100. The information for the display is gathered by web portal server 308 using any of a number of different available servers, including database server 310, application server 312, news server 314, and monitor server 316. News server 314 provides a database of news-related information organized by time, location, company, categories, and industry. Database server 310 provides a database of other information organized by time, location, organization, category, author, and audience. Application server 312 provides integrated management applications, interfaces to legacy systems, and business applications. Monitor server 316 provides access to other miscellaneous servers and services. All user-generated information is stored and published in self-publishing web application 318. User-specific preferences and other criteria used to define the user's space/time portal are stored on either access and control server 306 and web portal server 308.

[0030] In network configuration 300 in Fig. 3, most if not all of the intelligence related to the space/time portal is resident on the network side of network connection 304. As such, the sophistication required at the user's equipment 302 is minimal, thereby enabling the use of relatively simple and inexpensive user equipment (e.g., a television set-top box) to support web access via the space/time portals of the present invention.

[0031] Fig. 4 shows a flow diagram representing exemplary processing implemented at the user 302 and at the network servers 306 and 308 for network 300 of Fig. 3 for the beginning of a web-browsing session through the user's personalized space/time portal. When user 302 initiates access to the network (block 402), access and control server 306 authenticates the user and login information for access to the network (block 404). Directory server (block 406) provides further information about the user (e.g., office location and organization within company) for use in determining access privileges and filtering information for the user. Using self-publishing web application 318, web portal server 308 executes the user's personal space/time portal (block 410) as modified by an automatically selected specified location and/or an automatically selected specified time (block 412) to generate a composite display of information for presentation on the user's monitor (block 408).

[0032] After the connecting to the network through the portal, the user is able to use her personal web page to change the selection of defaults and the definitions of portal requests (block 414). In response, web portal server 308 records and stores the updated user preferences for future use. In addition, web portal server 308

modifies the space/time portal in real time based on any changes made by the user to the specified location and/or time and updates accordingly the composite display of information presented to the user (block 416).

[0033] Fig. 5 shows a flow diagram representing exemplary processing implemented at the user 302 and at the web portal server 308 for network 300 of Fig. 3 when the user uses locator cell 102 of Fig. 2 to change the selection of the specified location for the user's personalized space/time portal. Using the computer mouse, the user selects a point on map 202 of locator 102 to select a new specified location (block 502). In response, web portal server 308 updates the display of map 202 to show the selected area with more detail (block 504). In addition, web portal server 308 modifies the user's space/time portal based on the new specified location and regenerates the personal web page showing information related to new specified location (block 504). As the user continues to modify the selection of the specified location using map 202 (block 506), web portal server 308 continues to update the display of map 202 to zoom in on the specified location and regenerate the personal web page accordingly (block 508).

[0034] Fig. 6 shows a flow diagram representing exemplary processing implemented at the user 302 and at the web portal server 308 for network 300 of Fig. 3 when the user uses locator cell 102 of Fig. 2 to change the selection of the specified time for the user's personalized space/time portal. Using the computer mouse, the user access calendar 204 of locator 102 to select a year, month, and day corresponding to a new specified time (block 602). In response, web portal server 308 updates the display of calendar 204 to show the selected time with more detail (e.g., representing a single day instead of a month) (block 604). In addition, web portal server 308 modifies the user's space/time portal based on the new specified time and regenerates the personal web page showing information related to new specified time (block 604). The user can select the specified time with even more precision (i.e., hours and minutes) using the time-of-day field 206 of locator 102 (block 606). In response, web portal server 308 updates the display of the time-of-day field 206 showing more detail and again regenerate the personal web page accordingly (block 608).

[0035] In addition to network 300 of Fig. 3, the present invention can be applied to a variety of other network configurations. For example, although the invention has been described in the context of internets, such as the World Wide Web, the invention can also be implemented in the context of other types of computer networks, including intranets.

[0036] The equipment used by a user to navigate the network through a space/time portal can be any suitable type of equipment used for such a purpose including a computer terminal, a personal computer (PC), a portable laptop computer, a television set-top box, or a personal data assistant (PDA). These exam-

ples include equipment that has a fixed location (e.g., a computer terminal, a PC, or a set-top box) as well as mobile equipment whose location can vary over time (e.g., a laptop or a PDA). Similarly, the communication links by which users access the network include permanent hard-wired links (e.g., computer network cabling or multi-media cable television service), temporary hard-wired links (e.g., a phone line with a quick-connect jack to be plugged into a laptop or PDA with a modem), and wireless connections (e.g., used by a wireless PDA).

**[0037]** Although the space/time portals described above are personal space/time portals that each individual user can customize, the present invention can also be applied to other portals including vertical portals, which are shared portals that are customized for groups of users. Even in the case of a vertical or other shared space/time portal, however, the set of information requests defined for the portal is still modified automatically for each session of network access by each individual user as a function of either the specified location or the specified time or both, where the specified location and/or time can be selected automatically or manually by the individual user for that session.

**[0038]** Although the displays generated using space/time portals have been described in terms of visual graphics, it will be understood that the personal web pages generated using the space/time portals of the present invention can include audio portions as well as other types of visual displays including video streams.

**[0039]** Although the present invention has been described in the context of accessing computer networks, such as the Internet, it will be understood that the present invention can also be implemented in the context of accessing a server that is not part of a larger network.

**[0040]** The present invention can be embodied in the form of methods and apparatuses for practicing those methods. The present invention can also be embodied in the form of program code embodied in tangible media, such as floppy diskettes, CD-ROMs, hard drives, or any other machine-readable storage medium, wherein, when the program code is loaded into and executed by a machine, such as a computer, the machine becomes an apparatus for practicing the invention. The present invention can also be embodied in the form of program code, for example, whether stored in a storage medium, loaded into and/or executed by a machine, or transmitted over some transmission medium, such as over electrical wiring or cabling, through fiber optics, or via electromagnetic radiation, wherein, when the program code is loaded into and executed by a machine, such as a computer, the machine becomes an apparatus for practicing the invention. When implemented on a general-purpose processor, the program code segments combine with the processor to provide a unique device that operates analogously to specific logic circuits.

## Claims

1. A method for presenting information to a user accessing a computer-based server, comprising the steps of:
  - providing a portal to the user, wherein the portal defines a set of information requests used to gather the information presented to the user; and
  - automatically modifying the set of information requests corresponding to the portal as a function of a specified location, a specified time, or both.
2. The method of claim 1, wherein the specified time is selected automatically based on a clock signal corresponding to the current time for the user.
3. The method of claim 1 or claim 2, wherein the specified location is selected automatically based on a location signal corresponding to the current location of the user.
4. The method of claim 3, wherein the location signal comprises GPS signals.
5. The method of any of the preceding claims, further comprising the step of providing the user with an interface for manually selecting the specified location, the specified time, or both.
6. The method of claim 5, wherein the interface comprises a map by which the user can select the specified location by selecting a point on the map.
7. The method of claim 5, wherein the interface comprises a calendar by which the user can select a year, a month, and a day corresponding to the specified time.
8. The method of claim 5, wherein the interface comprises a time-of-day field by which the user can select a time of day corresponding to the specified time.
9. The method of any of the preceding claims, further comprising the step of enabling the user to define one or more pre-selected combinations of location and time, wherein each pre-selected combination can be selected manually to specify the location and time used to modify the portal.
10. The method of any of the preceding claims, wherein the user accesses the server via a wire-based connection.
11. The method of any of claims 1 to 9, wherein the

user accesses the server via a wireless connection.

12. The method of any of the preceding claims, further comprising the step of enabling the user to customize the portal. 5
13. A computer-based server configured to provide access to a user via a portal through which information is presented to the user in composite format, said server being configured to carry out a method 10 as claimed in any of the preceding claims.
14. A computer program product directly loadable into the internal memory of a digital computer comprising code for performing a method as claimed in any 15 of claims 1 to 12 when said product is run on a computer.
15. A computer program product stored on a computer usable medium comprising computer readable program means for causing a computer to perform a 20 method as claimed in any of claims 1 to 12.

25

30

35

40

45

50

55



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6





(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:  
**18.05.2005 Bulletin 2005/20**

(51) Int Cl.7: **G06F 17/30**

(43) Date of publication A2:  
**27.09.2000 Bulletin 2000/39**

(21) Application number: **00302028.6**

(22) Date of filing: **14.03.2000**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventor: **Yurkovic, Robert J.**  
**Ringwood, New Jersey 07456 (US)**

(30) Priority: **25.03.1999 US 276244**

(74) Representative:  
**Watts, Christopher Malcolm Kelway, Dr. et al**  
**Lucent Technologies (UK) Ltd,**  
**5 Mornington Road**  
**Woodford Green Essex, IG8 0TU (GB)**


(71) Applicant: **LUCENT TECHNOLOGIES INC.**  
**Murray Hill, New Jersey 07974-0636 (US)**

(54) **Space/time portals for computer systems**

(57) A portal defines a set of information requests used to gather various types of information in order to present to a user a single composite display that essentially provides the user with his or her own personal web page or view of information. A space/time portal is a particular type of portal whose set of information requests is automatically modified as a function of a specified location or a specified time or both. In one configuration,

the specified location and time are themselves selected automatically to modify the space/time portal in real time based on the current location and time for the user. In another configuration, the user can manually change the selection of the specified location and/or time. The space/time portal is then automatically modified based on the new selections, and the composite display is updated in real time accordingly.

**FIG. 4**





European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 00 30 2028

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	BROWN P J: "The stick-e document: a framework for creating context-aware applications" ELECTRONIC PUBLISHING: ORIGINATION, DISSEMINATION AND DESIGN WILEY UK, vol. 8, no. 2-3, 24 September 1996 (1996-09-24), pages 259-272, XP002321754 ISSN: 0894-3982 * abstract * * page 259, line 1 - page 261, line 39 * * page 262, line 1 - page 263, line 22 * * page 264, line 3 - page 267, line 36 * * page 268, line 6 - page 268, line 26 * * page 269, line 19 - page 270, line 3 *	1-15	G06F17/30
X	VOELKER G M ET AL: "MOBISAIC: AN INFORMATION SYSTEM FOR A MOBILE WIRELESS COMPUTING ENVIRONMENT" PROCEEDINGS, WORKSHOP ON MOBILE COMPUTING SYSTEMS AND APPLICATIONS, IEEE COMPUTER SOCIETY PRESS, LOS ALAMITOS, CA, US, vol. 5, no. 10, 1995, pages 185-190, XP002062595 * abstract * * page 185, left-hand column, line 21 - page 185, right-hand column, line 30 * * page 186, left-hand column, line 42 - page 187, right-hand column, line 55 * * page 189, left-hand column, line 3 - page 189, left-hand column, line 14 *	1-3,10, 11,13-15	TECHNICAL FIELDS SEARCHED (Int.Cl.7) G06F
A	EP 0 889 421 A (YAHOO, INC) 7 January 1999 (1999-01-07) * abstract * * page 2, line 5 - page 2, line 42 * * page 3, line 7 - page 4, line 51 * * page 5, line 2 - page 5, line 29 *	1-15	
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 21 March 2005	Examiner Boyadzhiev, Y
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

1  
EPO FORM 1503 (3.02) (P04001)



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 00 30 2028

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	<p>SCHMIDT A ET AL: "There is more to Context than Location"</p> <p>INTERNET CITATION, 25 November 1998 (1998-11-25), XP002227104</p> <p>* abstract *</p> <p>* page 1, line 1 - page 2, line 27 *</p> <p>* page 4, line 6 - page 5, line 10 *</p> <p>-----</p>	1-15	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
The Hague		21 March 2005	Boyadzhiev, Y
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone</p> <p>Y : particularly relevant if combined with another document of the same category</p> <p>A : technological background</p> <p>O : non-written disclosure</p> <p>P : intermediate document</p> <p>T : theory or principle underlying the invention</p> <p>E : earlier patent document, but published on, or after the filing date</p> <p>D : document cited in the application</p> <p>L : document cited for other reasons</p> <p>&amp; : member of the same patent family, corresponding document</p>			

1  
EPO FORM 1503 03.02 (P04001)



ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.

EP 00 30 2028

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-03-2005

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0889421 A	07-01-1999	US 5983227 A	09-11-1999
		AU 738648 B2	20-09-2001
		AU 6991598 A	17-12-1998
		EP 0889421 A1	07-01-1999
		NZ 330448 A	28-01-2000
		WO 9857276 A1	17-12-1998
-----			

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82